

Wachusett Pediatric Dentistry  
Thafur Shemmeri, DMD, MScD, DScD, P.C.  
100 Whalon Street  
Fitchburg, MA 01420  
1 (978) 342-3004

---

## WHAT TO DO AFTER A TOOTH EXTRACTION

**ANESTHETICS:** Your child will be numb for several hours following an extraction. Be sure your child does not bite his/her lip, cheek, or tongue by accident. If bitten, the area will swell and ulcerate but will heal completely in 7-10 days.

**BLEEDING:** Your child will be discharged biting on gauze. This gauze should be left in place for 10-15 minutes. If necessary, replace the existing gauze with a fresh one if the bleeding continues. Removing the gauze sooner than 15 minutes will disturb the blood clot and cause more bleeding.

**DIET:**

- Avoid hard foods with sharp edges (i.e. Doritos, Fritos, crust of a pizza or French bread).
- Soft foods should be eaten for 24 hours (yogurt, pasta, fries, mashed potatoes).
- Cold foods such as ice cream and milk shakes are recommended.
- Drink lots of liquids.
- **DO NOT USE A STRAW, SUCKING ACTION WILL DISTURB THE BLOOD CLOT.**

**MEDICATION:** If your child experiences discomfort or a low-grade pain, you may give him/her the appropriate dosage of acetaminophen (Tylenol).

**ACTIVITY:** Reduce your child's activity as much as possible. Avoid horseplaying, encourage relaxing activities.

**ORAL HYGENE:** Do not brush or rinse on the day and night of the extraction, but resume normal brushing the following morning.

Reference:

- American Academy of Pediatric Dentistry: The Handbook. 1996, 102.
- American Dental Association. Tooth Extraction, postoperative instructions. 1995